

2016-02-16 2.3

Legal deposit of electronic documents by means of RSS feeds

Reference to this document: http://www.kb.se/namespace/digark/deliveryspecification/deposit/rssfeeds/



2016-02-16 2.3

Change history

Version 2.3

- *dcterms:license* (R108) now only accepts values of format type URI.
- *dcterms:isPartOf* (**R112**) with attribute @*xsi:type* for identifier type, is mandatory whenever the host publication designated is subject to Swedish legal deposit (whether print or electronic).
- New element **Other format**, *dcterms:isFormatOf* (**R113**) **with attribute** @*xsi:type* for a related resource that is substantially the same as the described resource, but in another format. Use an identifier of the related resource (print or electronic) with the format type as attribute value.
- Element F303 **File format (for object designated by link)* has changed name and reference to **R117 *Resource type** to distinguish it from the other element with reference F303.
- New corrected specification of *media:license* (F307).
- Elements **R118** and **F311** Category (Subject) are no longer part of this specification, since they are not used in archiving and cataloging anyway. (An RSS-feed with values for */rss/channel/item/category* or */rss/channel/item/(media:group/)media:content/media:category* will still validate ok, but these elements are not displayed anywhere.)

Version 2.2

- An optional element *dcterms:identifier* with attribute @*xsi:type* has been added to enable registration of **identifier type**, improving the description of the resource and facilitating deduplication.
- The elements *dcterms:isPartOf* and *dcterms:references* may also have attribute @*xsi:type* to indicate identifier type of reference.

Version 2.1

• An optional element *dcterms:isPartOf* has been added to enable registration of **host publication** at article level, under *<item>*.



2016-02-16 2.3

Version 2.0

- Mandatory elements **no longer** need to be registered in a given order. This is an adaptation to XML Schema 1.1, permitting random order between mandatory elements.
- XPath-expressions for rss have been corrected and are now given without prefix, since RSS has no namespace of its own.
- S201 *media:content* is now mandatory, if applicable. This concerns in particular images, audio files, video clips associated with a resource (item).
- S201 Premium object (file) in a media:group -//media:group/media:content/@isDefault in version 1.3 is canceled. We now fetch all objects in a media:group, irrespective of content.
- An element *dcterms:references* has been added to enable designation of a media file delivered through another channel, e.g. via *ftp*.
- F308 Holder of rights pertaining to object (file) / contributor has been split into two separate elements: (F308) Creator of /contributor to object *media:credit*, and F308 Holder of rights pertaining to object *media:copyright*.
- A new section **5. Validation** has been added, with references to xml-schemas currently in force.
- Information about whether elements are *repeatable* (R) has been added for each element / attribute. (R) means here that an element can have multiple occurrences *under the same< item>*.



2016-02-16

2.3

Version 1.3

- Mandatory elements must now come first under each item in a given sequence (adaptation to the corresponding xml-schema *rss_kb.xsd* now published).
- The element R105 *<title>* is now mandatory, while R106 *<description>* is optional.
- The element R107 <*dcterms:accessRights*> now gets one of two possible values: '*gratis*' or '*restricted*'.
- The elements R118 *media:keywords* and R118 *media:category* have been split into two tables each (R118 and F311); one is for the description of the resource (*item*) as a whole, the other table is for constituent files (objects), described as *media:content*.
- Support for retrieval via *https* is now implemented by KB.

Version 1.2

• Under the heading "Publishing": Namespace addresses for MediaRSS and Dublin Core is now correct.

Version 1.1

- The element *link* is now mandatory
- New element *dcterms:isFormatOf* (optional) added

Editorial change:

• References (ID-no and headings) to the document "Introduktion till metadata i leveranser av elektroniska dokument till KB" (in Swedish) at the top of most tables.



2016-02-16 2.3

1. Introduction

This document describes how legal deposit suppliers of electronic documents can deliver material by means of RSS feeds.

2. Publishing

A supplier wishing to deliver via feeds publishes an RSS feed at a fixed URL. The frequency of retrieval is settled in an agreement with Kungl. biblioteket (KB) – The National Library of Sweden. The RSS feed needs to fulfil the following conditions:

• The format must be RSS 2.0 with the addition of some elements from MediaRSS 1.5.0 (http://search.yahoo.com/mrss/) and Dublin Core DCMI Metadata Terms (http://purl.org/dc/terms/).

For MediaRSS the best information about the format is presently found here: <u>http://www.rssboard.org/media-rss/</u>. Please observe, however, that this is still only a draft document, as stated in the editor's note, while the link to the official specification at yahoo.com is currently inactive.

For Dublin Core, please note that KB uses the more comprehensive namespace for DCMI Metadata Terms, *not* the more restricted Dublin Core Metadata Element Set (http://purl.org/dc/elements/1.1/), encompassing only 15 elements, being only a small subset of DCMI Metadata Terms. Some of the Dublin Core elements in this specification are exclusively part of the DCMI Metadata Terms. This concerns for example *accessRights* and *isFormatOf* in the format tables below (section 6).

The prefix *dc* or *dct* is sometimes also used for the namespace of the more comprehensive DCMI Metadata Terms (<u>http://purl.org/dc/terms/</u>). This is accepted, as long as it is consistently used exclusively for this namespace. For the sake of clarity, however, we recommend the use of the prefix *dcterms* for all elements in Dublin Core.



2016-02-16 2.3

| Format | Commonly used prefix | Namespace URI | Documentation |
|---------------------|-------------------------|-------------------------------|---|
| RSS 2.0 | - | - | http://www.rssboard.org/rss- specification |
| MediaRSS 1.5.0 | media | http://search.yahoo.com/mrss/ | http://www.rssboard.org/media- rss |
| DCMI Metadata Terms | dcterms | http://purl.org/dc/terms/ | http://dublincore.org/documents /dcmi-terms/ |

Summary of recommended formats, prefixes and namespaces.

- Each item in the RSS feed represents an electronic document that is to be delivered. Metadata about the document is expressed in the formats RSS, MediaRSS and *dcterms* for each item. The files that make up the electronic document that is represented by an item are designated using the elements link> from RSS [and], <media:content> from MediaRSS and dcterms:format. These designations contain information about where the files are published (URL) and their logical format (MIME-type). The files designated in this way should be accessible for retrieval by KB, at the URLs given. All URLs should be of type *http* or *https*.
- *Items* in the feeds must be sorted by the value in the element <pubDate> in descending order, i.e. with the latest published item first.
- The element <pubDate> must have as its value the time when the latest version of the document was published. If a new version of the document is published, the value of <pubDate> must be updated and the *item* put in the correct sequence further up in the feed.
- All *items* that are published or have new versions published during a time period corresponding to the interval of retrieval (settled in the agreement between KB and the supplier) must be shown in the feed.
- Please observe that even if a metadata element is optional according to this specification, this does not mean that the corresponding file(s) or object(s) described by this metadata element are exempt from legal deposit.



2016-02-16 2.3

3. Limitations

Delivery by means of feeds has certain limitations:

• Delivery of files with DRM-protection is not supported.

4. Security

It is anticipated that suppliers may wish to deliver material that is not meant to be publically accessible and thus needs to be protected from unauthorized retrieval by a third party. This can be solved using one of the following methods:

- IP-filter the supplier configures its network infrastructure so as to allow retrieval only from certain IP-addresses, used by KB only.
- Log in with Basic Authentication the supplier protects the resources by username/password to be used by KB.

Support for retrieval via https is now implemented by KB.

5. Validation

In order to control that RSS-feeds to be delivered fulfil the requirements in this specification, KB provides two options that the supplier / publisher can use for validation in advance. Either, copy and paste your RSS-feed into our validation service engine here: <u>https://e-plikt.kb.se/validera/rss</u>.

Alternatively, the relevant xml-schemas, based on XML Schema version 1.1, can be downloaded here: <u>http://www.kb.se/namespace/rss/index.html</u>. For local validation to work properly, all these six different schemas (*1. rss-kbse.xsd, 2. dcterms_kbse.xsd, 3. media_kbse.xsd, 4. content_kbse.xsd, 5. dc.xsd, 6. dcmitype.xsd*) must be downloade to the same file folder. No. 1. is the main schema against which validation is then performed. In the validation engine or software used for local validation, select XML Schema version 1.1 as default.



2016-02-16 2.3

6. Format

This is a selection of elements from RSS, MediaRSS and *dcterms*, for which KB specifies certain requirements in order to make delivery via feeds work properly. Mandatory elements are marked with * and have a Yes in the Mandatory field. Repeatable elements have a (R) after their name. This means the element can occur several times *under the same <item>*.

Other parts of the given standards (for RSS MediaRSS and *dcterms*) may also be used in a feed and, if supplied, some of those will also be used by KB.

| R101 | *ldentifier |
|---|-------------|
| /rss/channel/item/guid | |
| Mandatory | Yes |
| Format | Optional |
| Unique and permanent identifier of the resource. Will be used for feedback to the supplier and to identify new versions of the same resource. | |

| R101a | dentifier with type value (R) |
|---|---|
| /rss/channel/item/de | cterms:identifier[@xsi:type] |
| Mandatory | No, but desirable for purpose of deduplication. |
| Format element | doi, ean, hdl, isan, isbn, ismn, isrc, issue-number, matrix- number, upc, uri, urn |
| Format @attribute | Controlled values : "dcterms:doi", "dcterms:ean", "dcterms:hdl", "dcterms:isan", "dcterms:isbn" etc. |
| Unique and permanent identifier of the resource. Can be the same as in R101 <i>item/guid</i> . But multiple identifiers of different types are possible here (repeatable element). Type value given by means of attribute @xsi:type requires a reference to the namespace for xsi, either in the root-element <rss> or in the element where @xsi:type occurs. The type value must have the same prefix as is used for namespace <u>http://purl.org/dc/terms/</u> in the root. Example:</rss> | |
| <rss xmlns:dcterms="<u">http://purl.org/dc/terms/ version="2.0"> <dcterms:identifier <br="" xmlns:xsi="<u>http://www.w3.org/2001/XMLSchema-instance</u>">xsi:type="dcterms:isbn">9783452679123</dcterms:identifier></rss> | |



2016-02-16 2.3

| R102 | *Internet address | | |
|---|------------------------|--|--|
| /rss/channel/item | /rss/channel/item/link | | |
| Mandatory | Yes | | |
| Format | URL | | |
| Internet address (URL) of the electronic resource at the time of publishing, that is where the resource was first made publicly available. May be used for feedback to the supplier and to identify new versions of the same resource. This URL will be used to retrieve one of the files that make up the document. | | | |
| The same information content that is designated by <link/> may also be delivered in another format, without ads, navigation etc. This other format will then be given by an element < <i>media:content</i> >, having as a child-element | | | |

<dcterms:isFormatOf> with the same URL value as <link>. (See below F302 and following element).

| R103 | *Publishing date | | |
|--|---------------------------|--|--|
| /rss/channel/item/p | /rss/channel/item/pubDate | | |
| Mandatory | Yes | | |
| Format | RFC822 | | |
| Time of publishing. If the resource is republished in a new version, this date must be updated. All items in a channel should be sorted by this field in descending order, with newest item first. | | | |



| R104 | *Publisher | | |
|---|---|--|--|
| /rss/channel/item/c | /rss/channel/item/dcterms:publisher | | |
| Mandatory | Yes | | |
| Format | http://id.kb.se/organisations/SE[organisation number]+ [-suffix] | | |
| Unique identifier of institution (publisher) that made the resource available on the internet. Swedish <i>organisation number</i> is here written <i>without hyphen</i> . If several publishers (e.g. newspapers) share the same organisation number with a common supplier (distributor, owner publishing house), in agreement with KB a suffix <i>must</i> be added for reference to the particular publisher (newspaper) that published the item (article). The suffix must be preceded by a hyphen and | | | |

hold minimum two characters in the range [A-Z,a-z,0-9].

Example:

The Swedish online newspaper *Dalademokraten*, is delivered and owned by Mittmedia AB, with organization no. 556004-1815, which is shared by several other newspapers in the same publishing house. For all items published by *Dalademokraten* the reference to publisher, with the agreed suffix is then:

<item>

<dcterms:publisher>http://id.kb.se/organisations/SE**5560041815-DD** </dcterms:publisher> </item>

| R105 | *Title | |
|-------------------------|--------|--|
| /rss/channel/item/title | | |
| Mandatory | Yes | |
| Format | Text | |
| Name of resource. | | |

| R106 | Description |
|---|-------------|
| /rss/channel/item/description | |
| Mandatory | No |
| Format | Text |
| Short description of content, e.g. introduction, abstract or summary of resource. | |



| R107 | *Accessibility at the time of publishing |
|--|--|
| /rss/channel/item/dcterms:accessRights | |
| Mandatory | Yes |
| Format | Controlled values (either of two): gratis restricted |
| Indicate if the resource is freely accessible ('gratis') at the time of publication. | |

In other case, if there are particular conditions for access to the resource (such as payment, subscription, encryption), select '*restricted*'.

| R108 | License | |
|--|---------|--|
| /rss/channel/item/dcterms:license | | |
| Mandatory | No | |
| Format | URI | |
| URI (URL) for a license agreement encompassing all constituent parts of the document. Example : http://creativecommons.org/licenses/by/3.0/ | | |

| R112 | */- Host publication (R) |
|--|---|
| /rss/channel/item/de | cterms:isPartOf[@xsi:type] |
| Mandatory | Yes, if host publication is subject to Swedish legal deposit. |
| Format element | doi, ean, hdl, isan, isbn, ismn, isrc, issn, issue-number, matrix-number, upc, uri, urn |
| Format @attribute | Controlled values : "dcterms:doi", "dcterms:ean", "dcterms:hdl", "dcterms:isan", "dcterms:isbn", "dcterms:issn" etc. |
| Used at item-level for reference to a host publication, e.g. an online journal in which an article is placed, in those cases where different host-publications occur in the same feed under different items. If an item has been published in several different host publications the element can be repeated. | |
| For further formatting instructions, see example under R101a Identifier with type value. | |

Otherwise, as a default, the host publication is taken from *channel/link*.



| R113 | Other format (R) | | |
|--|---|--|--|
| /rss/channel/item/d | /rss/channel/item/dcterms:isFormatOf[@xsi:type] | | |
| Mandatory | No | | |
| Format element | doi, ean, hdl, isan, isbn, ismn, isrc, issn, issue-number, matrix-number, upc, uri, urn | | |
| Format @attribute | Controlled values : "dcterms:doi", "dcterms:ean", "dcterms:hdl", "dcterms:isan", "dcterms:isbn", "dcterms:issn" etc. | | |
| Reference to a resource of identical content as the delivered resource, but of an other format. An example would be a resource published both as pdf and epub. Select an identifier for the related resource. Repeat element for different formats. The element is formatted analogously to <i>R101a Identifier with type value</i> . Example (ISBN for print edition of an electronic resource): <dcterms:isformatof xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="dcterms:isbn">9789186107475</dcterms:isformatof> | | | |

| R115 | Statement of responsibility (Creator) (R) | |
|------------------|--|--|
| /rss/channel/ite | /rss/channel/item/dcterms:creator | |
| Mandatory | No | |
| Format | For names of persons: Family name, Given name (role) | |
| | rson(s) or institution(s) that are responsible for the intellectual or , for example author, photographer, composer. | |

| R115 | Statement of responsibility (Contributor) (R) |
|---------------------------------------|--|
| /rss/channel/item/dcterms:contributor | |
| Mandatory | No |
| Format | For names of persons: Family name, Given name (role) |
| | (s) or institution(s) that contributed to the intellectual or artistic ource, for example illustrator, translator. |



| R117 | *Resource type |
|---|---|
| /rss/channel/item/dcterms:format | |
| Mandatory | Yes |
| Format | Media Type (aka MIME-type) |
| types/media-types/ Consists of: type /s the file format, e.g. | -type) according to <u>http://www.iana.org/assignments/media-</u> . <u>.xhtml</u> for file designated by R102 < link >. subtype, where type refers to media type and subtype is rather application/pdf, audio/mpeg, image/tiff. ns:format>text/html |

| S201 | *Constituent objects (files) that make up the resource (R) |
|---|--|
| /rss/channel/item/(| media:group/)media:content |
| Mandatory | Yes, if applicable |
| Format | - |
| video files, images | tituent part of a resource (item). Particularly relevant for audio, belonging to the resource (with @type ="audio/", ."; see further F303). Can be grouped in <i>media:group</i> . |
| designated by <i>iten</i> commercial advert | rence to a file with the same content as the resource <i>n/link</i> above, but in another format, e.g. stripped from isements, navigation etc. (with, for example, see also R102, F302). |

| F302 | *Internet address of constituent object (R) / |
|---|--|
| | Retrieval address for alternative format |
| /rss/channel/item/ | (media:group/)media:content/@url |
| Mandatory | Yes, if <i>media:content</i> is provided |
| Format | URL |
| Internet address (resource at the tin | URL) to constituent object (file) belonging to the electronic ne of publication. |
| Also used as URL above). | for retrieval of alternative format of resource (see S201 |



| - | Indicator of alternative format |
|--|---|
| /rss/channel/item/(media:group/)media:content/dcterms:isFormatOf | |
| Mandatory | No |
| Format | URL (same value as in <link/>) |
| element media:cor | link>. The presence of this element indicates that the parent <i>intent</i> describes the same content as in <link/> , but in another R102, S201 and F302). |

| F303 | *File format (for object in <i>media:content</i>) | |
|---|---|--|
| /rss/channel/item/(| /rss/channel/item/(media:group/)media:content/@type | |
| Mandatory | Yes, if media:content is provided | |
| Format | MIME | |
| types/media-types/ Consists of: type /s the file format, e.g. | Media Type (MIME-type) according to <u>http://www.iana.org/assignments/media-types/media-types.xhtml</u> for the file designated by this media:content. Consists of: <i>type /subtype</i> , where <i>type</i> refers to media type and <i>subtype</i> is rather the file format, e.g. <i>application/pdf, audio/mpeg, image/tiff.</i> Examples : <i>video/mp4, audio/mpeg, image/tiff.</i> | |
| | ne resource as in <link/> in an alternative format (without e.g. @type="text/html" can be used here. (See above S201). | |

| [S201] | *Object (media files) belonging to resource, but delivered as legal deposit separately (e.g. via FTP) (R) | |
|----------------------|--|--|
| /rss/channel/item/do | /rss/channel/item/dcterms:references[@xsi:type] | |
| Obligatoriskt | *Yes, if applicable | |
| Format element | doi, ean, hdl, isan, isbn, ismn, isrc, issn, issue-number, matrix-number, upc, uri, urn | |
| Format @attribute | Controlled values : "dcterms:doi","dcterms:ean", "dcterms:hdl", "dcterms:isan", "dcterms:isbn" etc. | |
| | a files <i>not</i> included in <i>media:content</i> . For further formatting ample under R101a Identifier with type value. | |



| F305 | Checksum (R) |
|----------------------|---------------------------------------|
| /rss/channel/item/(r | nedia:group/)media:content/media:hash |
| Mandatory | No |
| Format | MD5 |
| An MD5 checksum | for the designated file. |

| F307 | License for a constituent object (file) (R) | |
|---|--|--|
| /rss/channel/item/(m | /rss/channel/item/(media:group/)media:content/media:license[@href] | |
| Mandatory | No | |
| Format | Text | |
| Format @attribute | URI | |
| The element value of @href that is used be Example : <media:li< td=""><td>cate a license that is valid for a certain part of the document. can be left out; regardless of content it is the attribute value by KB for rights administration. cense type="text/html" commons.org/licenses/by/3.0/de/">Creative Commons edia:license></td></media:li<> | cate a license that is valid for a certain part of the document. can be left out; regardless of content it is the attribute value by KB for rights administration. cense type="text/html" commons.org/licenses/by/3.0/de/">Creative Commons edia:license> | |

| R118 | Keywords (subject) for <i>item</i> (R) |
|---------------------|--|
| /rss/channel/item/m | edia:keywords |
| Mandatory | No |
| Format | Comma separated list of keywords |
| Keywords relevant | for the resource (<i>item</i>) as a whole. |

| F311 | Keywords (subject) for constituent file (object) (R) |
|-------------------|---|
| /rss/channel/iten | n/(media:group/)media:content/media:keywords |
| Mandatory | No |
| Format | Comma separated list of keywords |
| Keywords releva | ant for a constituent file (object) described as media:content. |



| (F308) | Creator of / contributor to object (file) (R) | | |
|---|---|---|--|
| /rss/channel/item/(media:group/)media:content/media:credit | | | |
| Mandatory | No | | |
| Attribute | role | Role according to scheme | |
| | scheme | urn:ebu urn:yvs | |
| Format | For names of | persons : Family name, Given name (role) | |
| Name and role for the person (or institution) that has contributed to the artistic or intellectual content of an object (file) belonging to a resource. | | | |

| F308 | Holder of rights pertaining to object (file) (R) | |
|---|--|--|
| /rss/channel/item/(media:group/)media:content/media:copyright | | |
| Mandatory | No | |
| Attribute | url | |
| Format | For names of persons: Family name, Given name (role) | |
| Name and role for the person (or institution) that has contributed to the artistic or intellectual content of the resource. | | |